HAIR AND TRICHOLOGY TREATMENTS Signed By Simone G.



Juan Manuel Pérez González

Hair Care

1st Capillary Peeling

Cleans the scalp thoroughly and prepares it to receive any subsequent treatment.

Options:

Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25): treatment to increase the effects of the antidandruff, anti-redness, anti-itchiness etc.

Dermo Capillary Mask (Ref. 28/58/219) + 12 Hierbas Forte (46B/70): treatment to increase anti-grease effect, for seborrheic dermatitis, pityriasis steatoides.

2nd Shampoo

Wash with a neutral shampoo alternating with a special shampoo depending on the capillary dysfunction.

<u> 3rd Lotion</u>

For application daily, alternate days or weekly, accompanied by a good capillary massage.

Psoriasis treatment:

Mix in equal parts Dermo Capillary Mask (Ref. 28/58/219) + Wonter Intensive Gel (Ref. 100). Apply dry and leave exposed for 20 minutes.

SEASONAL HAIR LOSS

During Spring and Autumn the hair undergoes a process of change so it is normal for the number of hairs lost daily, about 50, to almost double.

In theory, this loss is normal, but if uncontrolled it can produce capillary dysfunction and develop into a more serious problem.

Treatment:

Dermo Capillary Mask. (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).

- · Placenta Shampoo (Ref. 8/108) + Royal Jelly Shampoo (Ref. 35/215) (alternate the two).
- · Tricho-peptides + Placenta (Ref. 6). Lotion.

For maintenance: Bioplacent Activated (Ref. 15).





ALOPECIA AREATA

Alopecia areatas are a fairly common cause of hair loss - approximately 1% of the general population develop this problem at some time in their lives.

Alopecias areatas mainly result from nervous conditions: stress, depression, anxiety, etc. And to a lesser extent from viral problems or mouth infections, which may be mucous membrane infections or tooth decay; also through thyroid problems or traumatic shock, normally it develops into widespread hair loss.

Treatment:

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Placenta Shampoo (Ref. 8/108) + Royal Jelly Shampoo (Ref. 35/215) and alternate with Oxygen+DNA Shampoo (Ref. 214/221).
- · Wontersil Fresh Cells (Ref. 55B/115) lotion and alternate with Wontersil Science 6 (Ref. 40/40B). Apply to area morning and night for 90 days.

For ongoing treatment apply: DNA + Pollen + Tricho-peptides (Ref. 61/66).



Lotion



GENERAL ALOPECIA Post-Partum

Post-partum alopecias originate from oestrogen (female hormone) factors, serious vitamin deficiency (hypovitaminosis) or a deficit of dietary elements such as iron, calcium and magnesium.

Hair loss happens unexpectedly 2 or 3 months after the birth. This type of hair loss can be irreversible without special treatment.

Treatment:

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Placenta Shampoo (Ref. 8/108) + Royal Jelly Shampoo (Ref. 35/215) (alternate the two).
- · DNA + Pollen + Tricho-peptides (Ref. 61/66). Apply for 90 days, alternate days.

Continue with *Crexepil Complex (Ref. 223)*. Apply alternate days for one month.



Peeling







GENERAL ALOPECIA Menopausal

Menopausal GENERAL ALOPECIA is a common form of hair loss in post-menopausal women as a secondary effect of hormonal changes (reduction of oestrogen and increase in androgens).

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Placenta Shampoo (Ref. 8/108) + Royal Jelly Shampoo (Ref. 35/215) (alternate the two).
- · DNA + Pollen + Tricho-peptides (Ref. 61/66). Apply daily for 90 days.
- · Maintain with *Crexepil Complex (Ref. 223)*.



Peeling







GENERAL ALOPECIA

Thyroidal

Deficiency or excess of T3 (Triiodothyronine) and T4 (Thyroxine) produced in the Thyroid glands, may lead to thyroidal GENERAL ALOPECIA.

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Placenta Shampoo (Ref. 8/108) + Royal Jelly Shampoo (Ref. 35/215) (alternate the two).
- · Wontersil Science 6 (Ref. 40/40B). Apply daily for 60 days.
- · DNA + Pollen + Tricho-peptides (Ref. 61/66). Apply 3 times a week for 90 days.













GENERAL ALOPECIA Post-traumatic

Post-traumatic alopecia may be caused by surgery, hair irons, bleaching, or chemical products that irritate the scalp. By ponytails, plaits, etc. Arising mainly in the frontoparietal region.

Treatment:

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Placenta Shampoo (Ref. 8/108) + Royal Jelly Shampoo (Ref. 35/215) (alternate the two).
- · Wontersil Science 6 (Ref. 40/40B). Apply daily for 90 days.
- · Continue with Royal jelly Treatment (Ref. 34/36). Apply alternate days for 90 days.









Lotion



GENERAL ALOPECIA

Drug-induced

Some medicines can produce reversible hair loss. The main ones are anti-coagulants, anti-gout treatments, anti-rheumatism treatments, anti-depressives, hypertension treatments, beta-blockers (heart) and high doses of vitamin A.

Some medicines used in cancer chemotherapy cause the hair cells to stop dividing and hairs to become thin and break easily as they emerge from the scalp. This phenomenon occurs between 1 and 3 weeks after beginning treatment. Patients may lose up to 90% of hair.

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Placenta Shampoo (Ref. 8/108) + Royal Jelly Shampoo (Ref. 35/215) and alternate with Oxygen+DNA Shampoo (Ref. 214/221).
- · Wontersil Science 6 (Ref. 40/40B). Apply daily for 90 days.
- · Continue with DNA + Pollen + Tricho-peptides (Ref. 61/66). Apply alternate days for 90 days.







Male-pattern hair loss

Male-pattern hair loss is an alopecia that affects around 85% of men.

Competition between hormones (testosterone T) and an enzyme (5-alpha reductase), produces a hormone (DHT) that is very harmful to hair and produces inflammation of the sebaceous glands and a progressive shrinking of the bulbs with papilla atrophy in each growth cycle leading to unavoidable cicatrisation of the hair follicle and completely preventing any hair regeneration.

The causes of this alopecia are down to genetic-hereditary factors, hormonal dysfunctions, upsets to the nervous system and above all, as stated at the outset: the action of DHT on the hair follicle receptors.

Treatment:

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Royal Jelly Shampoo (Ref. 35/215) alternate with Oxygen+DNA Shampoo (Ref. 214/221).

Four stage treatment:

- · Wontersil Fresh Cells (Ref. 55B/115) daily.
- · Wontersil Science 6 (Ref. 40/40B) daily.
- · Crexepil Complex (Ref. 223) alternate days.
- \cdot DNA + Pollen + Tricho-peptides (Ref. 61/66)alternate days.



HAIR LOSS IN CHILDREN

During growth, i.e. between infancy and puberty, incidences of hair loss are becoming increasingly common, either through endogenous or exogenous factors such as hormonal activity, nerves, diet, etc.

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Royal Jelly Shampoo (Ref. 35/215) alternate with Younger Vitae Shampoo (Ref. 217).
- · Royal Jelly Treatment (Ref. 34/36).









SEBORRHOEIC DERMATITIS

The first thing we should know about this problem is that it has no solution.

We will never say that we can cure dermatitis. We may talk about soothing, cleaning, calming - but never curing. Dermatitis is one of group of pathologies considered to be of unknown origin, and without knowing the origin there is no solution.

It is characterised by undefined reddish patches bearing greasy scales, and itching and excess sweating.

The regions affected are usually the hairline, eyebrows, nasogenian folds, behind the ears and in more aggressive cases the moustache and chin area.

As for causes, although incorrect to say that there is decomposition of sebum, it tends to appear in people suffering emotional upset. There are also hormonal, diet and congenital factors, and they tend to appear in severe times of year such as summer.

SEBORRHOEIC DERMATITIS

Treatment:

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling, with dry hair).
- · Royal Jelly Shampoo (Ref. 35/215) alternate with Dixidox Shampoo (Ref. 142).
- · 12 Hierbas Forte (Ref. 46B/70) Lotion.

In the case of hair loss:

· Wontersil Dixidox (Ref. 105).

For facial treatment:

· 12 Hierbas Forte (Ref. 46B/70) Lotion. Apply to skin with sterilised gauze.



Peeling





Shampoo







SEBORRHEA

Seborrhea is a problem that originates internally, though it is normally detected externally.

Normally seborrhea is felt on the skin and hair when the follicle sac is full, though there are seborrheas like the apparent one, that is a localised external seborrhea and there is no internal seborrhea.

Seborrhea is normally produced by overactive sebaceous glands excreting more grease than usual.

- · Dermo Capillary Mask (Ref. 28/58/219) + Herby Forte (Ref. 3/25):(weekly peeling).
- · Royal Jelly Shampoo (Ref. 35/215) alternate with Anti-grease Shampoo (Ref. 17/42).
- · 12 Hierbas Forte (Ref. 46B/70) Lotion. Apply 3 times a week.







PITYRIASIS SIMPLEX CAPITIS

The appearance is ash-white patches, that scale readily and remain stuck to the hair shoot. The scalp is tender and shiny.

The causes are various, but normally this scaling process is associated with nervous problems, although lack of vitamin A, use of the wrong shampoos, shortage of water and hair washing at over 37° can also produce Pityriasis Simplex Capitis.

- · Wonter Intensive Gel (Ref. 100B). Apply twice a week.
- · Oxygen+DNA Shampoo (Ref. 214/221) alternate with Anti-dandruff Shampoo (Ref. 19/43).
- · Herby Forte (Ref. 3/25) Lotion. Apply alternate days.







PITYRIASIS STEATOIDES

Excessive secretion of grease and the presence of a yeast (Pityrosporum ovale) on the scalp give rise to the production of a strongly-adhered yellowish-golden patch that shows reluctance to scale and moreover causes inflammation, redness and itching.

We must bear in mind that the edges of the patch are strictly defined, which helps us diagnose between Pityriasis Steatoides and Dermatitis.

The causes, as in the previous process, are various: upsets to the nervous system, abnormal rates of Pityrosporum ovale, immunological dysfunctions, inadequate diet, over-excretion of grease, very high water temperature and use of the wrong shampoos, etc.

Treatment:

Dermo Capillary Mask (Ref. 28/58/219) + 12 Hierbas Forte (46B/70):Lotion (weekly peeling).

· Dixidox Shampoo (Ref. 142) alternate with Anti-Grease Shampoo (Ref. 17/42) and Royal Jelly Shampoo (Ref. 35/215).

In the case of hair loss:

- · Wontersil Dixidox (Ref. 105). Apply daily. For maintenance:
- · Tricho-peptides + Placenta Shock (Ref. 6). Apply 3 times a week.







PSORIASIS

As in dermatitis, the skin degenerates as a result of endogenous causes into generally chronic dermatitis. It appears as an inflammation of the epidermis with attached scales, very well defined and mother-of pearl coloured.

Nails are pitted like a thimble.

It affects men and women equally, like dermatitis, it has periods of recovery and deterioration, normally worsening during dry seasons.

Most common sites affected are: elbows, knees, nails and head; but it can extend throughout the whole body.

Although the causes are unknown, it may have a genetic root because it is normally found to run through families.

Treatment:

· Oxygen+DNA Shampoo (Ref. 214/221) alternate with Dixidox Shampoo (Ref. 142). In the case of hair loss:

Dermo Capillary Mask. (Ref. 28/58/219) + Wonter Intensive Gel (Ref. 100B).



Shampoo









www.bysimone.com